




This Table shows the **ICOM** hook-up points with ref. to drawings.

|  4 pin Mic Plug | |  8 Pin Mic Plug | |  6 pin DIN | |
|---|--|---|--|--|--------------------------|
| Radio Model | Schematics ref: A (AF o/p) | Schematics ref: B (mic i/p) | Schematics ref: C (PTT) | Schematics ref: D (Morse Key) | For more help e-mail to: |
| IC-22U | 'Ext.Spkr' 3.5mm jack <i>tip sig</i> | 'Mic' 8 pin <i>pin 7</i> <i>pin1 gnd</i> | 'Mic' 8 pin <i>pin 5</i> <i>pin6 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-25 | 'Ext.Spkr' 3.5mm jack <i>tip sig</i> | 'Mic' 8 pin <i>pin 7</i> <i>pin1 gnd</i> | 'Mic' 8 pin <i>pin 5</i> <i>pin6 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-27 | 'Ext.Spkr' 3.5mm jack <i>tip sig</i> | 'Mic' 8 pin <i>pin 7</i> <i>pin1 gnd</i> | 'Mic' 8 pin <i>pin 5</i> <i>pin6 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-28 | 'Ext.Spkr' 3.5mm jack <i>tip sig</i> | 'Mic' 8 pin <i>pin 7</i> <i>pin1 gnd</i> | 'Mic' 8 pin <i>pin 5</i> <i>pin6 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-37A | 'Ext.Spkr' 3.5mm jack <i>tip sig</i> | 'Mic' 8 pin <i>pin 7</i> <i>pin1 gnd</i> | 'Mic' 8 pin <i>pin 5</i> <i>pin6 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-38A | 'Ext.Spkr' 3.5mm jack <i>tip sig</i> | 'Mic' 8 pin <i>pin 7</i> <i>pin1 gnd</i> | 'Mic' 8 pin <i>pin 5</i> <i>pin6 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-45 | 'Ext.Spkr' 3.5mm jack <i>tip sig</i> | 'Mic' 8 pin <i>pin 7</i> <i>pin1 gnd</i> | 'Mic' 8 pin <i>pin 5</i> <i>pin6 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-45 | 'Ext.Spkr' 3.5mm jack <i>tip sig</i> | 'Mic' 8 pin <i>pin 7</i> <i>pin1 gnd</i> | 'Mic' 8 pin <i>pin 5</i> <i>pin6 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-48 | 'Ext.Spkr' 3.5mm jack <i>tip sig</i> | 'Mic' 8 pin <i>pin 7</i> <i>pin1 gnd</i> | 'Mic' 8 pin <i>pin 5</i> <i>pin6 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-120 | 'Ext.Spkr' 3.5mm jack <i>tip sig</i> | 'Mic' 8 pin <i>pin 7</i> <i>pin1 gnd</i> | 'Mic' 8 pin <i>pin 5</i> <i>pin6 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |

| | | | | | |
|---------------|--|--|--|--|------|
| IC-202 | 'Ext.Spkr' 3.5mm jack <i>tip sig</i> | 'Mic' 4 pin <i>pin 1</i> <i>pin4 gnd</i> | 'Mic' 4 pin <i>pin 2</i> <i>pin4 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-215 | 'Ext.Spkr' 3.5mm jack <i>tip sig</i> | 'Mic' 4 pin <i>pin 1</i> <i>pin4 gnd</i> | 'Mic' 4 pin <i>pin 2</i> <i>pin4 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-228 | 'Ext.Spkr' 3.5mm jack <i>tip sig</i> | 'Mic' 8 pin <i>pin 7</i> <i>pin1 gnd</i> | 'Mic' 8 pin <i>pin 5</i> <i>pin6 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-245 | 'Ext.Spkr' 3.5mm jack <i>tip sig</i> | 'Mic' 4 pin <i>pin 1</i> <i>pin4 gnd</i> | 'Mic' 4 pin <i>pin 2</i> <i>pin4 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-255 | 'Ext.Spkr' 3.5mm jack <i>tip sig</i> | 'Mic' 8 pin <i>pin 7</i> <i>pin1 gnd</i> | 'Mic' 8 pin <i>pin 5</i> <i>pin6 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-260 | 'Ext.Spkr' 3.5mm jack <i>tip sig</i> | 'Mic' 8 pin <i>pin 7</i> <i>pin1 gnd</i> | 'Mic' 8 pin <i>pin 5</i> <i>pin6 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-271 | 'Ext.Spkr' 3.5mm jack <i>tip sig</i> | 'Mic' 8 pin <i>pin 7</i> <i>pin1 gnd</i> | 'Mic' 8 pin <i>pin 5</i> <i>pin6 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-275 | 'Ext.Spkr' 3.5mm jack <i>tip sig</i> | 'Mic' 8 pin <i>pin 7</i> <i>pin1 gnd</i> | 'Mic' 8 pin <i>pin 5</i> <i>pin6 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-275 | 'ACC-1' rear <i>pin 5 sig</i> <i>pin2 gnd</i> | 'ACC-1' rear <i>pin 4</i> <i>pin2 gnd</i> | 'ACC-1' rear <i>pin 3</i> <i>pin2 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-280 | 'Ext.Spkr' 3.5mm jack <i>tip sig</i> | 'Mic' 4 pin <i>pin 1</i> <i>pin4 gnd</i> | 'Mic' 4 pin <i>pin 2</i> <i>pin4 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-290 | 'Ext.Spkr' 3.5mm jack <i>tip sig</i> | 'Mic' 8 pin <i>pin 7</i> <i>pin1 gnd</i> | 'Mic' 8 pin <i>pin 5</i> <i>pin6 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-375 | 'Ext.Spkr' 3.5mm jack <i>tip sig</i> | 'Mic' 8 pin <i>pin 7</i> <i>pin1 gnd</i> | 'Mic' 8 pin <i>pin 5</i> <i>pin6gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-375 | 'ACC-1' rear <i>pin 5 sig</i> <i>pin2 gnd</i> | 'ACC-1' rear <i>pin 4</i> <i>pin2 gnd</i> | 'ACC-1' rear <i>pin 3</i> <i>pin2 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |

| | | | | | |
|--------------------------|---|---|---|---|-------|
| IC-402 | 'Ext.Spkr' 3.5mm jack <i>tip sig</i> | 'Mic' 4 pin <i>pin 1</i> <i>pin4 gnd</i> | 'Mic' 4 pin <i>pin 2</i> <i>pin4 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-471 | 'Ext.Spkr' 3.5mm jack <i>tip sig</i> | 'Mic' 8 pin <i>pin 7</i> <i>pin1 gnd</i> | 'Mic' 8 pin <i>pin 5</i> <i>pin6 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-475 | 'Ext.Spkr' 3.5mm jack <i>tip sig</i> | 'Mic' 8 pin <i>pin 7</i> <i>pin1 gnd</i> | 'Mic' 8 pin <i>pin 5</i> <i>pin6 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-490 | 'Ext.Spkr' 3.5mm jack <i>tip sig</i> | 'Mic' 8 pin <i>pin 7</i> <i>pin1 gnd</i> | 'Mic' 8 pin <i>pin 5</i> <i>pin6 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-502 | 'Ext.Spkr' 3.5mm jack <i>tip sig</i> | 'Mic' 4 pin <i>pin 1</i> <i>pin4 gnd</i> | 'Mic' 4 pin <i>pin 2</i> <i>pin4 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-505 | 'Ext.Spkr' 3.5mm jack <i>tip sig</i> | 'Mic' 8 pin <i>pin 7</i> <i>pin1 gnd</i> | 'Mic' 8 pin <i>pin 5</i> <i>pin6 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-551 | 'Ext.Spkr' 3.5mm jack <i>tip sig</i> | 'Mic' 8 pin <i>pin 7</i> <i>pin1 gnd</i> | 'Mic' 8 pin <i>pin 5</i> <i>pin6 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-560 | 'Ext.Spkr' 3.5mm jack <i>tip sig</i> | 'Mic' 8 pin <i>pin 7</i> <i>pin1 gnd</i> | 'Mic' 8 pin <i>pin 5</i> <i>pin6 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-575 | 'Ext.Spkr' 3.5mm jack <i>tip sig</i> | 'Mic' 8 pin <i>pin 7</i> <i>pin1 gnd</i> | 'Mic' 8 pin <i>pin 5</i> <i>pin6 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-575 | 'ACC-1' rear <i>pin 5 sig</i> <i>pin2 gnd</i> | 'ACC-1' rear <i>pin 4</i> <i>pin2 gnd</i> | 'ACC-1' rear <i>pin 3</i> <i>pin2 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-706 | 'Acc-1' rear <i>13pin Din</i> <i>pin 12 o/p</i> <i>pin2 gnd</i> | 'Acc-1' rear <i>13pin Din</i> <i>pin 11 sig</i> <i>pin2 gnd</i> | 'Acc-1' rear <i>13pin Din</i> <i>pin 3</i> <i>pin 2 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>6.4mm jack</i> | Anon! |
| IC-706 MK IIG | 'Data Port' <i>6pin rear</i> <i>pin 1 o/p</i> <i>pin2 gnd</i> | 'Data Port' <i>6pin rear</i> <i>pin 5 o/p</i> <i>pin2 gnd</i> | 'Data Port' <i>6pin rear</i> <i>pin 3 o/p</i> <i>pin2 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>6.4mm jack</i> | Anon! |

| | | | | | |
|---------------|---|--|---|---|--------------|
| IC-707 | 'ACC-1' rear <i>pin 5 sig</i> <i>pin2 gnd</i> | 'ACC-1' rear <i>pin 4</i> <i>pin2 gnd</i> | 'ACC-1' rear <i>pin 3</i> <i>pin2 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-707 | 'Ext.Spkr' 3.5mm jack <i>tip sig</i> | 'Mic' 8 pin <i>pin 7</i> <i>pin1 gnd</i> | 'Mic' 8 pin <i>pin 5</i> <i>pin6 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-718 | 'Ext.Spkr' 3.5mm jack <i>tip sig</i> | 'Mic' 8 pin <i>pin 7</i> <i>pin1 gnd</i> | 'Mic' 8 pin <i>pin 5</i> <i>pin6 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-718 | 'ACC-1' rear <i>pin 12</i> <i>pin2 gnd</i> | 'ACC-1' rear <i>pin 11</i> <i>pin2 gnd</i> | 'ACC-1' rear <i>pin 3</i> <i>pin2 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | G6FOP |
| IC-720 | 'Ext.Spkr' 3.5mm jack <i>tip sig</i> | 'Mic' 8 pin <i>pin 7</i> <i>pin1 gnd</i> | 'Mic' 8 pin <i>pin 5</i> <i>pin6 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-721 | 'ACC-1' rear <i>pin 5 sig</i> <i>pin2 gnd</i> | 'ACC-1' rear <i>pin 4</i> <i>pin2 gnd</i> | 'ACC-1' rear <i>pin 3</i> <i>pin2 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-723 | 'ACC-1' rear <i>pin 5 sig</i> <i>pin2 gnd</i> | 'ACC-1' rear <i>pin 4</i> <i>pin2 gnd</i> | 'ACC-1' rear <i>pin 3</i> <i>pin2 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-725 | 'ACC-1' rear <i>pin 5 sig</i> <i>pin2 gnd</i> | 'ACC-1' rear <i>pin 4</i> <i>pin2 gnd</i> | 'ACC-1' rear <i>pin 3</i> <i>pin2 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-725 | 'Ext.Spkr' 3.5mm jack <i>tip sig</i> | 'Mic' 8 pin <i>pin 7</i> <i>pin1 gnd</i> | 'Mic' 8 pin <i>pin 5</i> <i>pin6 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-726 | 'ACC-1' rear <i>pin 5 sig</i> <i>pin2 gnd</i> | 'ACC-1' rear <i>pin 4</i> <i>pin2 gnd</i> | 'ACC-1' rear <i>pin 3</i> <i>pin2 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-726 | 'Ext.Spkr' 3.5mm jack <i>tip sig</i> | 'Mic' 8 pin <i>pin 7</i> <i>pin1 gnd</i> | 'Mic' 8 pin <i>pin 5</i> <i>pin6 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-728 | 'ACC-1' rear <i>pin 5 sig</i> <i>pin2 gnd</i> | 'ACC-1' rear <i>pin 4</i> <i>pin2 gnd</i> | 'ACC-1' rear <i>pin 3</i> <i>pin2 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-728 | 'Ext.Spkr' 3.5mm jack <i>tip sig</i> | 'Mic' 8 pin <i>pin 7</i> <i>pin1 gnd</i> | 'Mic' 8 pin <i>pin 5</i> <i>pin6 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-729 | 'Ext.Spkr' 3.5mm jack <i>tip sig</i> | 'Mic' 8 pin <i>pin 7</i> <i>pin1 gnd</i> | 'Mic' 8 pin <i>pin 5</i> <i>pin6 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |

| | | | | | |
|---------------|---|--|--|---|------------------------|
| IC-729 | 'ACC-1' rear <i>pin 5 sig pin2 gnd</i> | 'ACC-1' rear <i>pin 4 pin2 gnd</i> | 'ACC-1' rear <i>pin 3 pin2 gnd</i> | 'KEY JACK' <i>rear panel 1/4" jack</i> | none |
| IC-730 | 'Accessory' <i>pin 4 o/p pin8 gnd of 24 pin skt. at back</i> | 'Accessory' <i>pin 5 of 24 pin skt. at back</i> | 'Accessory' <i>pin 3 of 24 pin skt. at back</i> | 'KEY' <i>Unknown yet!!</i> | N0MEU |
| IC-730 | 'Ext.Spkr' <i>3.5mm jack tip sig</i> | 'Mic' 8 pin <i>pin 7 pin1 gnd</i> | 'Mic' 8 pin <i>pin 5 pin6 gnd</i> | 'KEY JACK' <i>rear panel 1/4" jack</i> | none |
| IC-732 | 'ACC-1' rear <i>pin 5 sig pin2 gnd</i> | 'ACC-1' rear <i>pin 4 pin2 gnd</i> | 'ACC-1' rear <i>pin 3 pin2 gnd</i> | 'KEY JACK' <i>rear panel 1/4" jack</i> | none |
| IC-735 | 'Ext.Spkr' <i>3.5mm jack tip sig</i> | 'Mic' 8 pin <i>pin 7 pin1 gnd</i> | 'Mic' 8 pin <i>pin 5 pin6 gnd</i> | 'KEY JACK' <i>rear panel 1/4" jack</i> | none |
| IC-735 | 'ACC-1' rear <i>pin 5 sig pin2 gnd</i> | 'ACC-1' rear <i>pin 4 pin2 gnd</i> | 'ACC-1' rear <i>pin 3 pin2 gnd</i> | 'KEY JACK' <i>rear panel 1/4" jack</i> | DL2RR |
| IC-736 | 'ACC-1' rear <i>pin 5 sig pin2 gnd</i> | 'ACC-1' rear <i>pin 4 pin2 gnd</i> | 'ACC-1' rear <i>pin 3 pin2 gnd</i> | 'KEY JACK' <i>rear panel 1/4" jack</i> | none |
| IC-737 | 'ACC-1' rear <i>pin 5 sig pin2 gnd</i> | 'ACC-1' rear <i>pin 4 pin2 gnd</i> | 'ACC-1' rear <i>pin 3 pin2 gnd</i> | 'KEY JACK' <i>rear panel 1/4" jack</i> | none |
| IC-737 | 'Ext.Spkr' <i>3.5mm jack tip sig</i> | 'Mic' 8 pin <i>pin 7 pin1 gnd</i> | 'Mic' 8 pin <i>pin 5 pin6 gnd</i> | 'KEY JACK' <i>rear panel 1/4" jack</i> | none |
| IC-738 | 'ACC-1' rear <i>pin 5 sig pin2 gnd</i> | 'ACC-1' rear <i>pin 4 pin2 gnd</i> | 'ACC-1' rear <i>pin 3 pin2 gnd</i> | 'KEY JACK' <i>rear panel 1/4" jack</i> | none |
| IC-740 | 'Accessory' <i>pin 4 o/p pin8 gnd of 24 pin skt. at back</i> | 'Accessory' <i>pin 5 of 24 pin skt. at back</i> | 'Accessory' <i>pin 3 of 24 pin skt. at back</i> | 'KEY' <i>Unknown yet!!</i> | WB8ERJ |
| IC-740 | 'Ext.Spkr' <i>3.5mm jack tip sig</i> | 'Mic' 8 pin <i>pin 1 pin7 gnd</i> | 'Mic' 8 pin <i>pin 5 pin6 gnd</i> | 'KEY JACK' <i>rear panel 1/4" jack</i> | none |
| IC-745 | 'Ext.Spkr' <i>3.5mm jack tip sig</i> | 'Mic' 8 pin <i>pin 7 pin1 gnd</i> | 'Mic' 8 pin <i>pin 5 pin6 gnd</i> | 'KEY JACK' <i>rear panel 1/4" jack</i> | none |

| | | | | | |
|------------------|---|---|---|--|--|
| IC-746 | 'Acc-1' rear <i>pin 5 o/p pin2 gnd</i> | 'Acc-1' rear <i>pin 4</i> | 'Acc-2' rear <i>pin 6 vhf sig. pin 3 hf sig. pin 2 gnd</i> | 'KEY JACK' <i>rear panel 6.4mm jack</i> | M1DGG or Print Details |
| IC-746 | 'ACC-1' rear <i>pin 5 sig pin2 gnd</i> | 'ACC-1' rear <i>pin 4 pin2 gnd</i> | 'ACC-1' rear <i>pin 3 pin2 gnd</i> | 'KEY JACK' <i>rear panel 1/4" jack</i> | none |
| IC-751 | 'ACC-1' rear <i>pin 5 sig pin2 gnd</i> | 'ACC-1' rear <i>pin 4 pin2 gnd</i> | 'ACC-1' rear <i>pin 3 pin2 gnd</i> | 'KEY JACK' <i>rear panel 1/4" jack</i> | none |
| IC-751 | 'Ext.Spkr' 3.5mm jack <i>tip sig</i> | 'Mic' 8 pin <i>pin 7 pin1 gnd</i> | 'Mic' 8 pin <i>pin 5 pin6 gnd</i> | 'KEY JACK' <i>rear panel 1/4" jack</i> | none |
| IC-756 | 'ACC-1' rear <i>pin 5 sig pin2 gnd</i> | 'ACC-1' rear <i>pin 4 pin2 gnd</i> | 'ACC-1' rear <i>pin 3 pin2 gnd</i> | 'KEY JACK' <i>rear panel 1/4" jack</i> | W9GB |
| IC-756Pro | 'Acc-1' rear <i>pin 5 o/p pin2 gnd</i> | 'Acc-1' rear <i>pin 4 rear panel</i> | 'Acc-2' rear <i>pin 3 hf sig. pin 2 gnd</i> | 'KEY JACK' <i>rear panel 1/4" jack</i> | W9GB |
| IC-760 | 'ACC-1' rear <i>pin 5 sig pin2 gnd</i> | 'ACC-1' rear <i>pin 4 pin2 gnd</i> | 'ACC-1' rear <i>pin 3 pin2 gnd</i> | 'KEY JACK' <i>rear panel 1/4" jack</i> | none |
| IC-761 | 'ACC-1' rear <i>pin 5 sig pin2 gnd</i> | 'ACC-1' rear <i>pin 4 pin2 gnd</i> | 'ACC-1' rear <i>pin 3 pin2 gnd</i> | 'KEY JACK' <i>rear panel 1/4" jack</i> | none |
| IC-761 | 'Ext.Spkr' 3.5mm jack <i>tip sig</i> | 'Mic' 8 pin <i>pin 7 pin1 gnd</i> | 'Mic' 8 pin <i>pin 5 pin6 gnd</i> | 'KEY JACK' <i>rear panel 1/4" jack</i> | none |
| IC-765 | 'Ext.Spkr' 3.5mm jack <i>tip sig</i> | 'Mic' 8 pin <i>pin 7 pin1 gnd</i> | 'Mic' 8 pin <i>pin 5 pin6 gnd</i> | 'KEY JACK' <i>rear panel 1/4" jack</i> | none |
| IC-765 | 'ACC-1' rear <i>pin 5 sig pin2 gnd</i> | 'ACC-1' rear <i>pin 4 pin2 gnd</i> | 'ACC-1' rear <i>pin 3 pin2 gnd</i> | 'KEY JACK' <i>rear panel 1/4" jack</i> | none |
| IC-775DSP | 'ACC-1' rear <i>pin 5 sig pin2 gnd</i> | 'ACC-1' rear <i>pin 4 pin2 gnd</i> | 'ACC-1' rear <i>pin 3 pin2 gnd</i> | 'KEY JACK' <i>rear panel 1/4" jack</i> | none |
| IC-781 | 'ACC-1' rear <i>pin 5 sig pin2 gnd</i> | 'ACC-1' rear <i>pin 4 pin2 gnd</i> | 'ACC-1' rear <i>pin 3 pin2 gnd</i> | 'KEY JACK' <i>rear panel 1/4" jack</i> | none |

| | | | | | |
|----------------|---|---|---|---|------|
| IC-781 | 'Ext.Spkr' 3.5mm jack <i>tip sig</i> | 'Mic' 8 pin <i>pin 7</i> <i>pin1 gnd</i> | 'Mic' 8 pin <i>pin 5</i> <i>pin6 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-820 | 'ACC-1' rear <i>pin 5 sig</i> <i>pin2 gnd</i> | 'ACC-1' rear <i>pin 4</i> <i>pin2 gnd</i> | 'ACC-1' rear <i>pin 3</i> <i>pin2 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-901 | 'Ext.Spkr' 3.5mm jack <i>tip sig</i> | 'Mic' 8 pin <i>pin 7</i> <i>pin1 gnd</i> | 'Mic' 8 pin <i>pin 5</i> <i>pin6 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-970 | 'ACC-1' rear <i>pin 5 sig</i> <i>pin2 gnd</i> | 'ACC-1' rear <i>pin 4</i> <i>pin2 gnd</i> | 'ACC-1' rear <i>pin 3</i> <i>pin2 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-1201 | 'Ext.Spkr' 3.5mm jack <i>tip sig</i> | 'Mic' 8 pin <i>pin 7</i> <i>pin1 gnd</i> | 'Mic' 8 pin <i>pin 5</i> <i>pin6 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-1271 | 'Ext.Spkr' 3.5mm jack <i>tip sig</i> | 'Mic' 8 pin <i>pin 7</i> <i>pin1 gnd</i> | 'Mic' 8 pin <i>pin 5</i> <i>pin6 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-1275 | 'Ext.Spkr' 3.5mm jack <i>tip sig</i> | 'Mic' 8 pin <i>pin 7</i> <i>pin1 gnd</i> | 'Mic' 8 pin <i>pin 5</i> <i>pin6 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-2400 | 'Ext.Spkr' 3.5mm jack <i>tip sig</i> | 'Mic' 8 pin <i>pin 7</i> <i>pin1 gnd</i> | 'Mic' 8 pin <i>pin 5</i> <i>pin6 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-2500 | 'Ext.Spkr' 3.5mm jack <i>tip sig</i> | 'Mic' 8 pin <i>pin 7</i> <i>pin1 gnd</i> | 'Mic' 8 pin <i>pin 5</i> <i>pin6 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-3200 | 'Ext.Spkr' 3.5mm jack <i>tip sig</i> | 'Mic' 8 pin <i>pin 7</i> <i>pin1 gnd</i> | 'Mic' 8 pin <i>pin 5</i> <i>pin6 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-3210 | 'Ext.Spkr' 3.5mm jack <i>tip sig</i> | 'Mic' 8 pin <i>pin 7</i> <i>pin1 gnd</i> | 'Mic' 8 pin <i>pin 5</i> <i>pin6 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |
| IC-3220 | 'Ext.Spkr' 3.5mm jack <i>tip sig</i> | 'Mic' 8 pin <i>pin 7</i> <i>pin1 gnd</i> | 'Mic' 8 pin <i>pin 5</i> <i>pin6 gnd</i> | 'KEY JACK' <i>rear panel</i> <i>1/4" jack</i> | none |

Software for the ICOM

Bill, N3CXV has done a lot of work producing software to control these Rigs, namely the **IC756 PROII**, **IC706 MKIIG**, and the **R9000**. This software will allow you to control your rig via;

- CI-V interface
- A local LAN
- via the Internet.

Look at <http://www.n3cxv.com> and get the info!